


# COIL FORM (SLUG CORE WITH LEAD)

## RWW CORES

Shape :



### Dimensions and Effective Parameters :

DIMENSION				UNIT: m/m			
Ordering Code	A	D	Fig.	Ordering Code	A	D	Fig.
RWW1.32x3.81T	1.32±0.1	3.81±0.2	3	RWW3x6	3.0±0.1	6.0±0.3	1
RWW1.56x4.7T	1.56±0.1	4.7±0.2	3	RWW3x6T	3.0±0.1	6.0±0.3	3
RWW1.75x8	1.75±0.1	4.75±0.3	1	RWW3x8	3.0±0.1	8.0±0.3	1
RWW1.78x4.32T	1.78±0.1	4.32±0.2	3	RWW3x10	3.0±0.1	10.0±0.3	1
RWW1.9x6	1.9±0.1	6.0±0.3	1	RWW3x12	3.0±0.1	12.0±0.4	1
RWW1.9x6.5	1.9±0.1	6.5±0.3	1	RWW3x12T	3.0±0.1	12.0±0.4	3
RWW1.9x8	1.9±0.1	8.0±0.3	1	RWW3x15	3.0±0.1	15.0±0.4	1
RWW1.9x10	1.9±0.1	10.0±0.3	1	RWW3x16	3.0±0.1	16.0±0.5	1
RWW1.91x8.18T	1.91±0.1	8.18±0.3	3	RWW3x20	3.0±0.1	20.0±0.5	1
RWW2x9	2±0.1	9.0±0.3	1	RWW3.18x15.87T	3.18±0.1	15.87±0.4	3
RWW2x14T	2±0.1	14.0±0.4	3	RWW3.2x15 ST	3.2±0.1	15.0±0.4	2
RWW2.72x18	2.72±0.1	18.0±0.5	1	RWW3.3x10T	3.3±0.1	10.0±0.3	3
RWW2.72x7.87	2.72±0.1	7.87±0.3	1	RWW3.5x1.75	3.4±0.1	17.5±0.4	1
RWW2.72x7.92T	2.72±0.1	7.92±0.3	3	RWW3.5x11T	3.5±0.1	11.0±0.3	3
RWW2.8x8T	2.8±0.1	8.0±0.3	3	RWW3.5x20T	3.5±0.1	20.0±0.5	3
RWW3.5x15.88T	3.5±0.1	15.88±0.4	3	RWW5x24.7T	5.0±0.15	24.7±0.6	2
RWW3.6x18T	3.6±0.1	18.0±0.4	3	RWW5.03x19.05T	5.03±0.15	19.05±0.5	3
RWW3.48x12.7T	3.84±0.1	12.7±0.5	3	RWW5.28x19.05T	5.28±0.15	19.05±0.5	3
RWW3.96x19.05T	3.96±0.1	19.05±0.5	3	RWW6x15	6.0±0.26	15.0±0.4	1
RWW4x9.5	4.0±0.1	9.5±0.3	1	RWW6x20 ST	6.0±0.2	20.0±0.5	2
RWW4x14T	4.0±0.1	14.0±0.4	3	RWW6x24	6.0±0.2	24.0±0.8	1
RWW4x15T	4.0±0.1	15.0±0.4	1	RWW6x25	6.0±0.2	25.0±0.8	1
RWW4x16T	4.0±0.1	16.0±0.5	3	RWW6x25 ST	6.0±0.2	25.0±0.8	2
RWW4x18T	4.0±0.1	18.0±0.5	3	RWW6.3x30	6.3±0.15	30.0±0.8	1
RWW4x20T	4.0±0.1	20±0.5	3	RWW6.35x19.05T	6.35±0.2	19.05±0.5	3
RWW4.4x14T	4.4±0.15	14±0.4	3	RWW6.35x22.2	6.35±0.2	22.2±0.6	1
RWW4.8x15.88	4.8±0.15	15.88±0.4	1	RWW6.35x25.4T	6.35±0.1	25.4±0.8	3
RWW4.8x20T	4.8±0.15	20.0±0.6	3	RWW6.35x31.75T	6.35±0.2	31.75±0.8	3
RWW5x15	5.0±0.15	15±0.4	1	RWW7.92x25.4T	7.92±0.2	25.4±0.8	3
RWW5x18	5.0±0.15	18.0±0.5	1	RWW8x30	8.0±0.2	30.0±0.8	1
RWW5x19.5	5.0±0.15	19.5±0.5	1	RWW9.53x25.4	9.53±0.2	25.4±0.8	1
RWW5x19.37 ST	5.0±0.15	19.7±0.5	2	RWW9.53x25.4T	9.53±0.2	25.4±0.8	3
RWW5x20	5.0±0.15	20.0±0.6	1	RWW9.53x7.5	9.53±0.2	27.5±0.8	1